



Air Cooled: Chiller, Split System, Self-Contained and Explosion-Proof Systems

Specifications and Factory Direct Prices

	 <p>Excellence in Marine Engineering Since 1995!</p>	
---	--	---





- [Home Page](#) •
 [Chiller Systems](#) •
 [Self-Contained Systems](#) •
 [Marine Pumps](#) •
 [Air-Cooled Systems](#) •
 [Commercial Operators](#) •
 [High-Pressure Systems](#) •
 [Commercial/Military Operators](#) •
 [Installation Do's & Don'ts](#) •
 [Electric heat vs. Reverse Cycle](#) •
 [How to Size Your Boat](#) •
 [Coleman/RVP Air-Cooled Rooftop AC](#)

Flagship Marine Air-Cooled, Weather-Resistant, Roof-Mounted Systems

All components but the condenser blower are in the air-conditioner side of our units to prolong component life.



60,000 BTU(5 TON) unit shown - available in 208/230, 265, 380/420, 440/460, 575 volts - three phase, 50 or 60Hz - This is a roof mounted unit - alternate styles available.





Flagship Marines exclusive rolled 16 gauge stainless steel louvers result in greatly reduced air turbulence and greater air flow.



**Flagship Marine Exclusive!
Dry Drain Pan!**

No more mold and mildew starting in your drain pan!
We now manufacture sloped aluminum drain pans that are dry so the condensate water doesn't have a chance to grow mold and mildew!!!

When real estate is in short supply, as it always is, how about ten tons (120,000BTUs) of air cooled chilled water on a 22" x 28" footprint!!!!!!




The outside panel features a six-row copper/copper condenser with six HP of blowers to accommodate the most extreme conditions!

The inside panels are all removable for easy access to everything, and the eye-level, convenient electric box has ALL of the electrical components in it, next to the legendary, over the counter and bulletproof Ranco ETC controller, as well as our exclusive low voltage control center, refrigerant gauges and charging ports.



How about 30 tons of air-cooled chilled water on an incredible 22" x 84" footprint!!!!!!



All Flagship Marine chillers have a low voltage control module with clearly labeled LEDs that will advise the end user specifically what has tripped the chiller, be it high or low refrigerant pressure, freeze control protection as well as low chilled water flow (if so equipped).

The time tested ICM modules are "over the counter" and inexpensive.

Flagship Marine components fit together with aircraft quality precision.



All sheet metal components are laser cut with aircraft/military quality tolerances in the ten-thousandths of an inch range as depicted here with the skeleton of an air-cooled chiller. Note the PEM nut inserts and numerous stainless steel rivets that result in a very rigid, strong and exacting structure.





Our new digital control is programmable or you can override the programs and manually control the temperature.

In addition to a host of features it has a back-lit screen for programming even in the dark.

ANY four wire battery-operated unit will operate ANY Flagship Marine unit!

Personalize Your Thermostat!

We will laser etch *your vessel name here* for only \$35.00!




Some advice and common sense about warranties:

As with most contracts, the first and most important thing to read in any warranty is the smallest print... unless it's a "No questions asked" warranty (which they never are). Almost all warranties are only as good as the honor of the company standing behind it.

I know of companies that have literally NEVER performed on their warranty because it is NEVER the fault of the product. "I

know this compressor is only two months old, but it obviously failed from low voltage (or high voltage, or a lightning strike, or it's burned from a lack of cooling water - TAKE YOUR PICK!)".

The most wonderful feature and comprehensive warranty can be absolutely worthless. In some cases they offer extended warranties for a handsome fee, which are again absolutely worthless with the wrong company - save your money! These are nothing more than a very lucrative alternate profit center!

We do not offer "extended warranties" for a fee and we do stand behind our products!

Air Cooled: Self-Contained Approximate Specifications

Model	BTUs of cooling	KW of electric heat	Length in inches	Width in inches	Height in inches	Amps (cool) 230V	Wgt lbs.	Price
FM24AC	24,000	4.0	42	44	28	14	240	CALL
FM36AC	36,000	4.0	40	26	24	19	280	CALL
FM48AC	48,000	8.0	42	53	28	32	325	CALL
FM60AC	60,000	12.0	57	40	28	32	475	CALL
FM96AC	96,000	12.0	78	40	48	32	425	CALL
FM120AC	120,000	16.0	112	81	55	32	475	CALL

Air Cooled: Chiller & Split System Condensing Units (delete the evaporator and you have a split system condensing unit) Approximate Specifications

Model CWAC = Chiller Water air cooled SSAC = Split System air cooled (condensing unit only)	BTUs of cooling	Length in inches	Width in inches	Height in inches	Amps (cool) 230V	Wgt lbs.	Price
FM24CWAC	24,000	42	39	28		225	
FM60CWAC	60,000	43	38	28	14	350	CALL
FM60SSAC	60,000	40	26	24	19	350	CALL
FM120CWAC-V	120,000	43	38	53	28	475	CALL
FM120SSAC-V	120,000	57	40	28	32	475	CALL
FM120CWAC-H	120,000	43	60	28	32	475	CALL
FM120SSAC-H	120,000	78	40	48	32	475	CALL
FM180CWAC	180,000	43	38	78		525	CALL
FM180SSAC	180,000					525	CALL
FM240CWAC	240,000	43	60	53		675	CALL
FM240SSAC	240,000					675	CALL
FM360CWAC	360,000	43	60	78		875	CALL
FM360SSAC	360,000					875	CALL

**Choose Flagship Marine for the most rugged,
commercial quality air cooled and explosion-proof
systems available!**

Manufactured with Pride in the USA



[Click here for a printer-friendly PDF version of this page.](#)

[Click here to download Adobe® Acrobat® Reader® software for free!](#)

Site Map:

 <p>Air Cooled: Chiller, Split System, Self-Contained & Explosion-Proof Systems Prices and Specifications</p>	 <p>Self-Contained Systems Prices and Specifications</p>	 <p>Chilled Water Systems (Water or Air Cooled) Prices and Specifications</p>
 <p>Marine Pumps</p>	 <p>Commercial/Military</p>	 <p>Fernstrum Keel Coolers & Heat Exchangers</p>
 <p>High-Pressure Systems (for ships and large commercial vessels) Prices and Specifications</p>	 <p>Air Cooled Rooftop AC Systems by Coleman/RVP</p>	 <p>Heat-Only Systems Prices and Specifications</p>
<p>Reverse cycle heat vs Electric heat</p>	<p>Properly size your boat BEFORE you charge ahead!</p>	<p>Multiple Unit Installations</p>
<p>Flagship digital control</p>	<p>Flagship Installation kits</p>	<p>Different types of systems</p>
<p>12-24 Volt DC Systems</p>	<p>Installation do's and don'ts</p>	<p>Commercial operators</p>
<p>Mfg. comparison</p>	<p>Fresh Water Cooling</p>	<p>Cruisers spare parts kit</p>
	<p>Flagship Marine Warranty</p>	

Flagship Marine, Inc., 2427 SE Dixie Hwy., Stuart, Florida 34996 - USA
 Phone: 772-283-1609 Fax: 772-283-4611 Wats: 800-316-6426 sales@flagshipmarine.com

Copyright © 1995-2015 Flagship Marine, Inc. All Rights Reserved.